Nobäl

PURE LUXURY

ROUND SERIES
USER MANUAL

⚠ WARNING ⚠

CHILDREN HAVE DROWNED IN PORTABLE SWIMMING POOLS.

ENSURE ACTIVE ADULT SUPERVISION AT ALL TIMES.

DO NOT LEAVE CHILDREN UNSUPERVISED IN OR AROUND THE POOL – KEEP THEM WITHIN ARMS' REACH.

POOL FENCING LAWS APPLY TO THIS POOL.

CONSULT YOUR LOCAL GOVERNMENT AUTHORITY FOR FENCING REQUIREMENTS

USE ONLY UNDER COMPLETE SUPERVISION

NO DIVING

NO JUMPING

NO UNEVEN OR SLOPING GROUND

READ USER MANUAL CAREFULLY BEFORE USE

- FOR HEALTH REASONS, PURIFY WATER AND EMPTY WATER FREQUENTLY.
- WHEN NOT IN USE STORE SAFELY IN DRY CONDITION OUT OF SUNLIGHT.
- KEEP AWAY FROM FIRE AND FLAME.
- USE ONLY IN AREAS FREE FROM OBSTRUCTION AND SHARP OBJECTS.
- NEVER PLACE POOL IN ANOTHER BODY OF WATER.
- POOL MAY BE SLIPPERY, WHICH CAN CAUSE FALLS.
- DO NOT FILL THE POOL WITH WATER SURPASS THE WATER LINE.
- FOLLOW ALL SAFETY RULES TO AVOID BROKEN BONES, DROWNING, SUFFOCATION OR OTHER SERIOUS INJURIES.
- LOCK SPA COVER AFTER EACH USE.
- HOT WATER IN CONJUNCTION WITH ALCOHOL, DRUGS OR MEDICATION CAN CAUSE UNCONSCIOUSNESS. IMMEDIATELY LEAVE SPA IF FEELING UNCOMFORTABLE OR SLEEPY.
- DURING PREGNANCY, SOAKING IN HOT WATER MAY CAUSE DAMAGE TO THE FOETUS. LIMIT USE TO 10 MINUTES AT A TIME.

Nobäl
PURE LUXURY

INFLATABLE SPA
N-IS-RS-4P

220-240V~ 50Hz 1600W 7A
IPX5

SAA090860EA

RATED CURRENT
7A (HEATING + AIR BLOWER + FILTER CIRCULATION)

FOR HEATING: 4.5A

FOR AIR BLOWER: 2.5A

RATED POWER INPUT
FOR HEATING: 1000W

FOR AIR BLOWER: 600W

Maximum water temperature: 40^{O}C (104^{O}F)

The Air Blower will stop automatically after 30minutes of operation.

Continuous Filter Circulation should not exceed a maximum of 48 hours.

Continuous Heating operation should not exceed a maximum of 48 hours.

Made In China
Nobäl - Best Choice Imports Pty Ltd
Shanghai Qinxu Plastic Co. Ltd.
PH050017

WARNINGS

WARNING: RISK OF ELECTRIC SHOCK. Insert the plug only to a properly grounded socket.

WARNING: This product is provided with a ground-fault circuit-interrupter (**integrated in the power plug**). The GFCI must be tested before each use. With the product operating open the service door. When the products stops operating, this merely indicates that the door is equipped with an electrical interlock. Next push the test button on the GFCI and close the service door. The product should not operate. Now open the service door, push the reset button on the GFCI and close the service door. The product should now operate normally. When the product fails to operate in this manner, there is a ground current flowing indicating the possibility of an electric shock. Disconnect the power until the fault has been identified and corrected.

WARNING: To reduce the risk of electric shock, do not use extension cord to connect unit to electric supply; provide a properly located receptacle.

WARNING: No part of the appliance is to be located above the spa pool during use.

DANGER: Risk of injury. The suction fittings in this spa are sized to match the specific water flow created by the pump. Should the need arise to replace the suction fittings or the pump, be sure that the flow rates are compatible.

WARNING: Never operate spa if the suction fittings are broken or missing. Never replace a suction fitting with one rated less than the flow rate marked on the original suction fitting.

WARNING: The outlet of Spa must not be connected to any tap or fitting other than those specified.

WARNING: TO AVOID THE ELECTRIC SHOCK, DO NOT USE THE SPA WHEN IT IS RAINING.

WARNING: To reduce the risk of injury, do not permit children to use this product unless they are closely supervised at all times.

WARNING: Water attracts children. Always have the Spa locked with its cover after each use.

WARNING: Do not overexert, press down or uplift the control panel device. Do not put anything heavy on control panel device after installation.

WARNING: Pets should be kept away from spa to avoid damage.

WARNING: The cover of Spa must be open, when the air blower function is in the on mode & functioning.

WARNING: Do not switch on the spa if there is any possibility that the water in the spa is frozen.

WARNING: Use only approved accessories. Use of non-approved accessories could void the warranty.

DANGER: Risk of Accidental Drowning. Extreme caution must be exercised to prevent unauthorized access by children. To avoid accidents, ensure that children cannot use this spa unless they are supervised at all times.

DANGER: RISK OF ELECTRIC SHOCK. Never operate any electrical appliance when you are in the spa or when your body is wet. Never place any electric appliance, such as a light, telephone, radio or television, within 5 feet (1.5 m) of a spa.

WARNING: During pregnancy, soaking in hot water may cause damage to the fetus. Limit use to 10 minutes at a time.

DANGER: TO REDUCE THE RISK OF INJURY:
A. Replace damage cord immediately.
B. Do not bury cord.
C. Connect to a grounded, grounding type receptacle only.
D. The use of alcohol, drugs or medication before or during spa use may lead to unconsciousness with the possibility of drowning.
E. Obese persons and persons with a history of heart disease, low or high blood pressure, circulatory system problems, or diabetes should consult a physician before use of a spa.
F. Persons using medication should consult a physician before using a spa since some medication may induce drowsiness while other medication may affect heart rate, blood pressure and circulation.

WARNING: TO REDUCE THE RISK OF INJURY:
A. The water in a spa should never exceed 40ºC (104ºF). Water temperature between 38ºC (100ºF) and 40ºC (104ºF) are considered safe for a healthy adult. Lower water temperatures are recommended for young children and when spa use exceeds 10 minutes.
B. Since excessive water temperatures have a high potential for causing fetal damage during early months of pregnancy, pregnant or possibly pregnant women should limit spa water temperatures 38ºC (100ºF).
C. Before entering a spa, the user should measure the water temperature with an accurate thermometer since the tolerance of water temperature regulating devices varies.

WARNING: TO REDUCE THE RISK OF INJURY: Never pour water which is higher than 40ºC (104ºF) into the spa pool directly.

WARNING: HYPERTHERMIA WARNING!
The use of alcohol, drugs or medication can greatly increase the risk of fatal hyperthermia.
Hyperthermia occurs when the internal temperature of the body reaches a level several degrees above the normal body temperature of 37ºC (98.6ºF). The symptoms of hyperthermia include an increase in the internal temperature of the body, dizziness, lethargy, drowsiness and fainting. The effects of hyperthermia include failure to perceive heat; failure to recognize the need to exit the spa; unawareness of impending hazard; fetal damage in pregnant women; physical inability to exit the spa and unconsciousness resulting in the danger of drowning.

WARNING: People with infectious diseases should not use a spa.

WARNING: Do not use a spa immediately following strenuous exercise.

WARNING: Prolonged immersion in a spa may be injurious to your health.

CAUTION: Maintain water chemistry in accordance with manufacturer's instruction.

CAUTION: Do not use the spa alone.

CAUTION: Always enter and exit the spa slowly and cautiously. Wet surfaces are slippery.

CAUTION: To avoid damage to the pump, the spa must never be operated unless the spa is filled with water.

CAUTION: Immediately leave spa if uncomfortable or sleepy.

CAUTION: Never add water to chemicals. Always add chemicals to water to avoid strong fumes or violent reactions that may result in hazardous chemical spray.

CAUTION: Place only on surface that can withstand the floor loading requirements of your spa.

INSTALLATION INSTRUCTION

PACKAGE CONTENTS: Verify that all parts are present.

Spa Pool



Spa Cover



Inflation Lid

Ground Sheet

Inflation Hose



Filter Cartridge



Filter Cartridge Cover



Repair Kit



Cover Lock



Storage Bag

SITE REQUIREMENTS

WARNING: The floor has to be capable of supporting the total expected load (filled spa plus bathers). The Spa's total weight filled is 1800 lbs.

WARNING: An adequate drainage system has to be provided to deal with overflow water.

IMPORTANT: Because of the combined weight of the spa, water and users; it is extremely important that the base where the spa is installed is smooth, flat, level and capable of uniformly supporting this weight for the entire time the spa is installed. If the spa is placed on a surface, which does not meet these requirements, any damage caused by improper support will void the warranty. It is the responsibility of the spa owner to assure the integrity of the site at all times.

INDOOR INSTALLATION

Be aware of special requirements if you install the spa indoors.
1. The floor must be able to withstand the capacity of the spa. The floor should be a non-slip, level surface.
2. Proper drainage is essential for indoor spa installation. When building a new room for the spa it is recommended that a floor drain is installed.
3. Humidity is a natural side effect with spa installation. Determine the effects of airborne moisture on exposed wood, paper, etc. in the proposed location. To minimize these effects it is best to provide plenty of ventilation to the selected area. An architect can help determine if more ventilation is needed.

NOTE: Do not install the spa on carpet or other material that can be damaged by moisture.

OUTDOOR INSTALLATION

No matter where you install the spa, it is important you have a solid support foundation, which supports the filled spa.
1. If you are installing the spa outdoors, ensure there are no sharp objects that could damage it and that the location is level so the spa sits stably and properly.
2. During filling, emptying or when in use, water may spill out of the spa. Therefore the spa should be installed near a ground drain.

GFCI TEST

WARNING: Insert the GFCI plug into a properly grounded power receptacle only.
WARNING: Before inserting the plug into a power receptacle, make sure the current rate of the power receptacle and the fixed wiring are suitable for the spa. Contact a qualified electrician if you can not verify.
1. Plug GFCI into power outlet, the indicator light should turn on.
2. Press TEST button, the indicator light should turn off.
3. Press RESET button again for use.

WARNING: Do not use the spa if the above test fails.



ASSEMBLY

1. Remove the spa from the packaging. Verify that all parts are present. Unfold and spread out the spa pool and cover. Make sure both are right side up.



1

2. Open the air outlet on the spa located next to the Control Panel. Screw one end of the inflation hose onto it.



2

3. Open the air valve on the spa wall. Connect the other end of the inflation hose into the valve.



3

4. As previously outlined under the GFCI Test section, test the spa's GFCI plug.



5. Inflate the spa pool by pressing the “AIR BLOWER” button on the control panel. When the spa is properly inflated, press the “AIR BLOWER” button to shut off the air blower function.



ATTENTION: Do not over inflate the spa pool.
NOTE: If you need to add additional air to the spa pool after it has been filled with water, you must first turn on the AIR BLOWER function for 2-3 minutes by pressing the “AIR BLOWER” button. Then follow instructions in steps 2-5 above accordingly.

6. Remove the inflation hose from the air valve on the spa wall and replace the valve cap tightly.

7. Remove the inflation hose from the air outlet and replace the outlet cap tightly.

8. Place the filter cartridge cover on the filter cartridge. Then screw the filter cartridge onto the water inlet on the spa wall by turning it clockwise.





9. Using a garden hose, fill the spa with water to the water level fill line printed on the spa wall.



10. Place the cover onto the spa and fasten the zipper.



WARNING: This cover is not a safety cover and is not a replacement for adult supervision.

11. Install cover lock. The combination lock is factory preset to open at 0-0-0. If you want to change the combination, push and hold the button down, then advance each number to the desired combination. Once a new combination is chosen, insert the lock wire and release button.

DANGER: Risk of Accidental Drowning. Always leave the cover locked and in place when the spa is not in use. Extreme caution must be exercised to prevent unauthorized access by children. To avoid accidents, ensure that children cannot use this spa unless they are supervised at all times.

OPERATION

Before operating the spa, you must ensure the water level in the spa is at the water level fill line printed on the spa wall. Never dry-run the power pack as such type of operation will void the warranty.



CONTROL PANEL FUNCTIONS:
1. "AIR BLOWER"
Activates air jet system. Press this button to activate the air jet system which has a 30-minute auto shut off for 10 minutes feature.

2."CIRCULATE & FILTER"
Activates filter system. This button turns the filter pump on and off. The light of the water filtration button displays green when the filtration system is activated.

3."HEAT"
Activates heating and filtering system at the same time. Use this button to activate the heating system. The heater does not stop heating the spa until the current water temperature reaches the set temperature. After the current water temperature drops 2°C below the set point temperature, the heating system will restart. When the light of the heat button displays green, the heating system is activated. Heating system is capable of increasing approximately 1.0°C (2.0°F) per hour. When the heating system is activated the filtration system will automatically start. This is normal.

4."TEMP"
Sets and displays set temperature.

5." ▲ " button: Higher temperature.
6." ▼ " button: Lower temperature.
Pressing the temperature increase or temperature decrease buttons will cause the LED to flash. When it is flashing, you can enter the desired temperature setting. If you hold these buttons down the values will rapidly increase or decrease. The new and desired temperature setting will remain on the LED display for 5 seconds to confirm the new value.

7. LED Display: Once powered-up, the LED displays the current water temperature automatically.

NOTE:
1. The set point temperature defaults to 40°C (104°F).
2. Temperature adjustment ranges from 20°C (68°F) to 40°C (104°F).
3. After turning off the heating system the filtration system will turn off. This is normal. But if you press the "FILTER" on before pressing "HEATER" on, by pressing the "HEATER" button once, you can switch off heating function only.

MAINTENANCE

Maintaining Water:
1. Clean your filter cartridge (see below instructions) at least once a week or more often if necessary. The filter cartridge media eventually wears out and reduces its function. Replace the filter cartridge at least every 6 months to maintain water clarity.

2. All spas require the use of appropriate pool chemicals to balance and sanitize the spa water. We recommend the use of Nobal Organic Water Treatment System or Bromine Tablets. Please consult your local pool supply retailer for more information about the chemical maintenance of your spa. It is very important to follow the chemical manufacturer's instructions. Spa damage resulting from misuse of chemicals and mismanagement of spa water is not covered by the warranty. Drain, clean and refill your spa at least every three months. Chlorine and Chlorine based products are not to be used in the spa.

Water Chemistry:
Purchase Nobal Organic Water Treatment System chemicals, clarifier, sanitizer, and test strips from your dealer. It is essential that your spa's water chemistry be maintained as follows: pH between 7.4 and 7.6, Total Alkalinity between 80 and 120 ppm. An EPA listed sanitizer is also required: Maintain bromine at 4 to 6 ppm using brominating tablets in a floating dispenser, or use an EPA listed alternative liquid sanitizing system. Test your water chemistry before each use of the spa, but no less than once per week, and adjust as necessary. Low PH will cause damage to the spa and pump. Any damages resulting from improper water chemistry or imbalance is not covered by the warranty. Your dealer can supply you with kits of these products. Water sanitation is the responsibility of the spa owner, achieved through the regular and periodic (daily, if necessary) addition of an approved sanitizer. The sanitizer will chemically control the bacteria and viruses present in the fill water or introduced during use of the spa.

Cleaning The Filter Cartridge:
1. Unplug the GFCI power cord from the electrical receptacle before attempting to clean filter.
2. Unscrew the filter cartridge by turning counterclockwise.
3. Remove the filter cartridge cover.



4. The filter cartridge can be rinsed off with a garden hose and reused. However, if the filter cartridge remains soiled and discolored the filter cartridge should be replaced.



5. Replace the filter cartridge cover on the filter cartridge. Then screw the filter cartridge onto the water inlet on the spa wall by turning it clockwise.



6. Plug the GFCI power cord back into the power outlet, the indicator light should turn on. Perform the GFCI Test and reset the desired temperature set point.

NOTE: The filter cartridge media eventually wears out and reduces its function. Replace the filter cartridge at least every 6 months to maintain water clarity.

Draining Your Spa:
1. Unplug the GFCI power cord from the electrical receptacle before attempting to drain the spa.

2. Open the outlet in the outer wall of the spa, located under the power pack at the floor of the spa, by unscrewing and removing the nut. Screw one end of the inflation hose on to the outlet.





3. After the spa's pool has drained, you must run the air blower function 2-3 minutes to drain the water trapped in the spa's air pipeline. Plug the GFCI power cord back into the power outlet, the indicator light should turn on. Perform the GFCI Test and then press the "AIR BLOWER" button to drain the water trapped in the spa's air pipeline.

Important: Only run in this mode until water stops exiting the inflation hose. Never dry-run the power pack as such type of operation will void the warranty.

4. Once the above steps are completed, unscrew the inflation hose from the outlet and replace the nut. Ensure the nut is properly tightened.

Cleaning your Spa:
Detergent residues and dissolved solids from bathing suits and chemicals will gradually accumulate in the spa's water and on the liner of the spa. To clean, first drain the spa and then use a mild soap solution to remove any soil or residues. After cleaning, rinse thoroughly with water before refilling. **Note: do not use brushes, scrub pads or abrasive cleaners. This will damage your spa's liner.**

REPAIR AND STORAGE

Spa Repair
If the spa is torn or punctured use the provided repair patch. Dry the area to be repaired. Apply the glue in the accessory bag to the repair patch and then attach it onto the damaged area. Smooth the surface to remove any air bubbles. A secure unnoticeable repair can usually be made.

Spa Storage
Make sure all water is drained from the spa and control box. This is essential to extend the life of the spa. Remove the filter cartridge. It is recommended you store the spa in the storage bag provided in the box. Store in a warm dry place.

Note: Plastic becomes brittle and susceptible to breakage when exposed to subzero temperatures. Freezing can severely damage the spa. Improper winterization of your spa may void your warranty.

DISPOSAL:
The marking indicates that this product shall not be disposed with the general household waste. Please contact your local community about collection points or ask your dealer. This product contains valuable materials that can be recycled and contribute to a sustainable environment.

TROUBLE SHOOTING:
The next page highlights some helpful tips to help you to diagnose and rectify some common sources of trouble.

Problem	Probable causes	Solutions
Power pack does not operate	-Power failure -GFCI tripped	-Check power source -Reset GFCI. Check if the homes fixed wiring is too thin to afford 1500W
Bubble system does not operate	-30 minute auto shut off feature activated -Air pump is too hot	-Press the bubble button to reactivate. -Unplug the air pump. After the air pump has cooled, insert the plug and press the bubble button to activate.
Heating system does not operate	-Dirty filter cartridge -Improper water levels -Temperature set too low	-Clean or replace the filter cartridge -Add water to specified levels. -Set to a higher temperature (20-40°C).
Filtering system does not operate	-Dirty filter cartridge	-Clean or replace the filter cartridge
Spa leakage	-Spa is torn or punctured	-Use provided repair patch
Water not clean	-Insufficient filtering time -Dirty filter cartridge -Improper water maintenance	-Increase filtration time. -Clean or replace the filter cartridge. -Refer to the chemical manufacturer's instructions.

WARRANTY

1.Definitions
"Agreement" means the purchase of the product as governed by the terms and conditions;
"BCI Brands" means Best Choice Imports Pty Ltd trading as BCI Brands;
Address:164 Victoria Street, North Geelong VIC 3215 *Phone*:1300 985 008 *Email*:info@bcibrands.com.au;
"Customer" includes the purchaser of the product and any User;
"Product" means the Nobal Inflatable Spa and any parts;
"Spa" means the Inflatable Spa purchased by the Customer giving rise to the Agreement.
"User" means any third party that uses the Product with or without the consent of the Customer;
"Nobal" a brand owned by BCI.

2. Conditions of purchase
In purchasing the Product the Customer agrees to enter the Agreement and be bound by the terms and conditions as set out herein and with in the supplied user manual.

3. Warranty
(a) In relation to the Inflatable Spas that the Customer has purchased from BCI, BCI warrants to the best of its knowledge (subject to clause 3(k)) that the Spa is free from manufacturing defects and that it will remain free from defects caused by ordinary usage (within the guidelines provided) throughout the warranty period (as defined in clause 3(b)).
(b) The warranty applies during the warranty period. The warranty period for the Nobal 4 person, Round Series is 1 year (12 Months) from the date of purchase from BCI.
(c) If the Customer's claim relates to a manufacturing defect the Customer must notify BCI of its claim within 7 days of the product being assembled. For the purposes of this clause 3, manufacturing defects include, but are not limited to, matters such as cuts or holes in the Spa shell /pool or control unit not starting, poor quality stitching and missing or incorrectly sized components.
(d) If the Customer's claim relates to a defect that is not a manufacturing defect the Customer must notify BCI of its claim within the warranty period and within 7 days of becoming aware of the alleged defect.
(e) Upon receiving a warranty claim BCI may require the Customer to return the Spa or the allegedly defective component to BCI for examination and/or testing at the Customers expense. All warranty claims must be made with a proof of purchase. Provided that the Customer complies with any reasonable requests that BCI might make, BCI undertakes to respond to the Customer's claim within 21 days from the date on which it has all of the evidence that it reasonably requires.
(f) If the Customer's warranty claim is accepted, BCI may either:
(i) Provide a replacement component(s) or Spa; or
(ii) Repair any defects that are reasonably capable of being repaired; or
(iii) Provide a full refund of the price paid for the Spa.

(g) If any component is repaired or replaced the warranty period in relation to that component will start over from the date of supply of that component, as defined in clause 3(b).
(h) BCI does not accept responsibility for any costs, losses or damages that the Customer might suffer in making a warranty claim and in making a warranty claim the Customer agrees unconditionally not to seek to recover any such sums from BCI.
(i) This warranty is non-transferable. All warranty claims must be made by the person who made the original purchase of the Spa from BCI.
(j) Nothing in this document is intended to limit any warranty that is implied by law to the extent that any such limitation would be unlawful. Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.
(k) The warranty set out in clause 3(a) is subject to the following exclusions:

(i) The warranty does not cover any damage that may be caused to the Spa as a result of improper or incomplete assembly, want of maintenance, other failure to follow instructions or exercise due care including, but not limited to the assembly, use or supervision of the Product.
(ii) Except where provided in clause 3(b), the warranty does not include or extend to any accessories that might be purchased in connection with the Spa.
(iii) The warranty does not include or extend to any costs that the Customer may incur in having the Spa or any of its components repaired or replaced otherwise than by a warranty claim.
(iv) The warranty does not include any alleged defects that are the subject of a warranty claim after the Spa or any of its components have been replaced with components not supplied by BCI or repaired by a party other than BCI.
(v) The warranty does not include or extend to any defects that have been caused in whole or in part by the commercial use of the Spa.
(vii) The warranty does not cover any damage that may be caused to the Spa after being erected or dug into a hole, decking or other fixture or any costs directly or indirectly incurred in construction of the hole, decking or other fixture.

(l) The warranty does not include or extend to any indirect loss or damage that may be suffered.
(m) To claim under this warranty please email (**warranty@bcibrands.com.au**) with the following information

(i) A brief description of the suspected defect or item being claimed; and
(ii) A close up photo of the suspected defect; and
(iii) A wide shot photo of the entire Spa and control unit; and
(iv) A scanned copy of your purchase receipt or other proof of purchase.

4. Liability
4.1 Limitation of liability
(a) Subject to clause 4.1(b) and to the extent permitted by the Competition and Consumer Act and relevant state legislation, the sole obligation of BCI under this Agreement is to use its best endeavours to provide the Product or repair or replace (at BCI's discretion) any part of the Product which is found to be defective during the warranty period and in no event shall BCI be liable for any other claims or damages including, but not limited to, claims for faulty design, negligent or misleading advice, damages arising from loss or use of the products, and any indirect, special or consequential damages or injury to any person, corporation or other entity.
(b) If any products supplied pursuant to this Agreement are supplied to the Customer as a 'consumer' of goods or services within the meaning of that term in the Competition and Consumer Act as amended or similar state legislation the consumer will have the benefit of certain non-excludable rights and remedies in respect of the products or services and nothing in these terms and conditions excludes or restricts or modifies any condition, warranty, right or remedy which pursuant to the Competition and Consumer Act or similar legislation is so conferred. However, if the product is a product not ordinarily acquired for personal, domestic or household use or consumption pursuant to s 68A of the Competition and Consumer Act and similar provisions of relevant state legislation, BCI limits its liability to payment of an amount equal to the lowest of:

(i) the cost of replacing the goods;
(ii) the cost of repair of the goods;
(iii) the cost of having the goods repaired or replaced.

(c) Subject to clause 4.1 (b) BCI is not be liable for default or failure in performance of its obligations pursuant to this Agreement resulting directly or indirectly from acts of God, civil or military authority, acts of public enemy, war, accidents, fires, explosions, earthquakes, floods, the elements, strikes, labour disputes, shortage of suitable parts, components, materials including ink, chemicals and paper, labour or transportation or any other cause beyond the reasonable control of BCI.
(d) Subject to clause 4.1 (b), BCI is not responsible for any loss, injury or damage caused by an error or defect in the products or errors or faults caused by alteration, modification, misuse, neglect and unauthorised repair supplied by any person, or in the event that the Customer uses the Product in a manner inconsistent with the safety instructions as set out in these terms and conditions.

4.2 Exclusion of negligence
BCI is not liable to the Customer in contract or in tort arising out of, or in connection with, or relating to:
(a) the performance of the Product or any breach of these terms and conditions; or
(b) any fact, matter or thing relating to the Product; or
(c) any error (whether negligent or in breach of contract or not) in information supplied to the Customer or a User before or after the date of the Customer's or User's use of the Product.

5. Waiver
5.1 Indemnity
(a) The Customer waives on a continuing basis any rights against BCI for any liability, loss, expense or demand for or arising from any false, misleading, deceptive or misdescriptive representation or statement made by BCI in respect of the products to any person. This waiver survives termination of this agreement by either party for any reason.
(b) The Customer waives any rights against BCI for any losses, damages, claims, demands, suits, actions, proceedings, orders or judgments whatsoever arising out of or in respect to the supply of the Product by BCI to the Customer and BCI is not liable for any loss arising in the course of its conduct as supplier of the Product to the Customer including without limiting the generality of the foregoing in respect of:
(i) any breach of any conditions or warranty given by BCI expressly or by operation of any statute in respect of the Product;
(ii) BCI being deemed 'manufacturer' of the products by operation of the Competition and Consumer Act;

6. Safety Instructions
6.1 Prior to use
(a) Prior to use a safety check should be undertaken of the Spa and all surrounding areas to ensure the Spa and its component parts are in good repair and properly fitted, there are no overhead obstructions, there is nothing underneath the Spa, and that the areas surrounding the Spa are free of any hazards;
(b) Remove any debris from the ground below the Spa prior to use;
(c) Heavy or unsuitable footwear / clothing including but not limited to boots or heeled shoes should be removed prior to use;
(d) Loose articles including but not limited to jewellery, spectacles, and items in pockets should be removed prior to use;
(e) Do not use the Spa when tired;
(f) Do not use the Spa when injured;
(g) Do not use the Spa in wet and/or windy conditions;
(h) Do not use the Spa whilst under the influence of drugs or alcohol;

6.2 During use
(a) Do Not over fill or try to fit more than the recommended number and size of occupants in the Spa;
(b) Do not allow any bystanders to sit on or lean against the Spa whilst in use;
(c) Any child using the Spa should be under supervision from an adult or mature person;

6.3 After use
(a) Do not dismount the Spa by rolling out of it or squashing the sides;
(b) Secure the Spa from unauthorised or unsupervised use.
(c) Drain the water from the Spa and pack the Spa away when not in use.

BCI brands
164 Victoria Street, North Geelong VIC 3215
Phone: 1300 985 008
Email: info@bcibrands.com.au | warranty@bcibrands.com.au

Nobäl

PURE LUXURY

BCI brands

BCI Brands - **Nobäl**

a. 164 Victoria Street
North Geelong
Victoria 3215
Australia

p. +61 1300 985 008